

# Rear-Mounted Mowers

AM R Disc Mower | EasyCut R Disc Mower



 **KRONE**  
CUTTING EDGE™ PERFORMANCE



# German engineered for North American fields.

## Forage Quality doesn't get any better than this!

Krone offers a full line of Rear-Mounted Disc Mowers that offer farmers the unique combination of German-engineered quality AND a design that excels in North American conditions. As a result, these reliable mowers help you harvest the highest quality hay and forage possible in the shortest amount of time. Hear what customers say about these mowers...

*The Krone disc mower cuts better and lays the hay out better where it can dry quicker. As long as we've been in the hay business, the Krone has never given us a reason to go look for anything else.*

*—Warren Flake* PHILADELPHIA, MISSISSIPPI



# Product Highlights

6'6" up to  
13'3"  
CUTTING WIDTHS

## 6'6" up to 13'3" widths


Select the right model and width to match your tractor and cutting needs...

- AM-R Models: Choose from 5 cutting widths
- EC-R Models: Choose from 4 cutting widths

BELTLESS  
DIRECT DRIVE  
SYSTEM

## Exclusive beltless direct drive system

Krone mowers cut through the heaviest crops, as power is transmitted more efficiently from the tractor to the cutting discs via the driveline and gearboxes. NO costly belts to replace.



SAFECUT  
HUBS

## SafeCut Hubs

Exclusive Krone SafeCut Hubs are real money-savers, simply shearing a roll pin if an obstacle is hit, reducing the risk of damage. Reset is fast and easy.




EASY  
TRANSPORT

## Transport with ease

Switching to transport is fast and easy, because the operator does not need to get out of the tractor to prepare for road transport. Over-center transport position improves stability and reduces overall transport height.






### Satellite pinions

These pinions mean no internal timing is necessary, and disc rotation can be changed to match crop conditions.

**NO**  
INTERNAL  
TIMING








### Quick-Change Blades

Changing blades is quick and easy with a single tool, thanks to Krone exclusive Quick-Change Blades.


**QUICK-CHANGE**  
**BLADES**


# SmartCut Cutterbar

-  Offset pinion gear drives individual mower discs.
-  Flatter angle allows for a clean, smooth cut.
-  Drive to cutting discs via large idler gears.
-  Large idler gears are slow-turning, and a larger diameter means increased idler gear contact with the pinion shaft, reducing stress on teeth.



## SafeCut hubs on each cutting disc

-  If the disc hits an obstacle, the roll pin shears and the disc spins up on the threaded drive shaft and out of the way of its neighboring discs, which prevents additional damage.



## Heavy-Duty Bearings

-  Higher load-carrying capability can withstand higher shock loads.



DENOTES A FEATURE EXCLUSIVE TO THE KRONE CUTTERBAR



## Krone Exclusive Parking Stand



The Krone exclusive parking stand (standard on EC R models) enables the mower to be stored in the upright position. This allows the mower to take up minimal space in the machine shed and makes tractor attachment/removal easy.

# Krone Rear-Mounted Disc Mower Specifications

Model	AM R 200	AM R 240	AM R 280	AM R 320	AM R 360
Work Width	6'6"	7'10"	9'2"	10'6"	11'10"
Weight	1,080 lbs	1,212 lbs	1,333 lbs	1,433 lbs	1,632 lbs
Recommended PTO HP (Minimal / Optimal)	45 / 50	60 / 65	75 / 80	85 / 90	95 / 100

Model	EasyCut R 280	EasyCut R 320	EasyCut R 360	EasyCut R 400
Work Width	8'11"	10'4"	11'10"	13'3"
Weight	1,720 lbs	1,852 lbs	2,293 lbs	2,248 lbs
Recommended PTO HP (Minimal / Optimal)	90 / 95	100 / 105	110 / 115	120 / 125

*\*AM R series mowers are now equipped with Quick Change blades and SafeCut hubs.*



Krone offers an extended-service cutterbar warranty for the Krone Rear-Mounted Disc Mowers. The Cutterbar Guarantee provides owners of Krone disc mowers warranty coverage for a total of 3 years. See your Krone dealer for details.



Krone NA, Inc. | P.O. Box 18880 | Memphis, TN 38181 | Phone: (901) 842-6011 | Email: [info@krone-na.com](mailto:info@krone-na.com)  
 2019© Krone® is a registered trademark of Maschinenfabrik Bernard Krone GmbH. 12-04-18\_AMR/ECR



[facebook.com/KroneHayEquipment](https://facebook.com/KroneHayEquipment)



[@KRONE\\_NA](https://twitter.com/KRONE_NA)



[youtube.com/KroneNorthAmeirca](https://youtube.com/KroneNorthAmeirca)